

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার
স্বাস্থ্য ও পরিবার কল্যাণ মন্ত্রণালয়
স্বাস্থ্য শিক্ষা ও পরিবার কল্যাণ বিভাগ
জাতীয় জনসংখ্যা গবেষণা ও প্রশিক্ষণ ইনস্টিটিউট (নিপোর্ট)
১৩/১ শেখ সাহেব বাজার রোড, আজিমপুর, ঢাকা-১২০৫।
www.niport.gov.bd

নং- ৫৯.১২.০০০০.০০৩.৯৯.০৭৮.২০-০২

তারিখ: ০৭/০১/২০২১ খ্রি:

বিষয়: টেকসই উন্নয়ন অভিষ্ট বিষয়ক সভার কার্যবিবরণী।

সভাপতি : জনাব সুশান্ত কুমার সাহা, অতিরিক্ত সচিব ও মহাপরিচালক, নিপোর্ট, ঢাকা।
সভার সময় ও তারিখ : ২৯ ডিসেম্বর, ২০২০ খ্রি: দুপুর ১২:৩০ ঘটিকা।
সভার স্থান : নিপোর্ট সভাকক্ষ।

উপস্থিত সদস্যবৃন্দের তালিকা : পরিশিষ্ট 'ক' দ্রষ্টব্য।

সভাপতি উপস্থিত সকলকে স্বাগত জানিয়ে সভার কাজ শুরু করেন। সভাপতির অনুমতিক্রমে নিপোর্টের মূল্যায়ন বিশেষজ্ঞ ও এসডিজি ফোকাল পার্সন জনাব মোহাম্মদ আহছানুল আলম জানান যে টেকসই উন্নয়ন অভীষ্টে ১৭ টি অভীষ্ট, ১৬৯ টি লক্ষ্যমাত্রা এবং ২৩২ টি সূচক আছে। তিনি টেকসই উন্নয়ন অভিষ্ট বিষয়ক ১৩টি সূচকে নিপোর্ট প্রদত্ত তথ্য ছকের মাধ্যমে উপস্থাপন করেন এবং মাইলস্টোন ও টার্গেট ব্যাখ্যা করেন। অতঃপর আলোচ্যসূচি অনুযায়ী নিম্নবর্ণিত আলোচনা ও সিদ্ধান্তসমূহ গৃহীত হয়:

ক্রম	আলোচ্যসূচি	আলোচনা	সিদ্ধান্ত	বাস্তবায়ন
১	এসডিজি সূচকসমূহ	<p>১) এসডিজি এর ২৩২ টি ইন্ডিকেটরের মধ্যে নিপোর্ট সম্পাদিত সার্ভে/ গবেষণা থেকে ১৩ টি ইন্ডিকেটরের তথ্য প্রদান করার জন্য নির্ধারণ করা হয়েছে। (সংলগ্নী-“গ”)</p> <p>২) সভায় জানানো হয় যে, নিপোর্ট সম্পাদিত সার্ভের ফলাফল থেকে ১৩ টি ইন্ডিকেটর যথাক্রমে</p> <ul style="list-style-type: none">• 2.2.1: Prevalence of stunting• 2.2.2 Prevalence of malnutrition• 3.1.1: Maternal Mortality Ratio• 3.1.2: Proportion of births attended by skilled health personnel• 3.2.1: Under-five mortality rate• 3.2.2: Neonatal mortality rate• 3.7.1: Proportion of women of reproductive age (aged 15-49 years) who have their need for family planning satisfied with modern methods• 3.7.2: Adolescent birth rate• 3.8.1: Coverage of essential health services	<p>১) এসডিজি হালনাগাদ তথ্য ছক নিপোর্টের কর্মকর্তাদের অবগতির জন্য বিতরণ করতে হবে যেখানে বেজলাইন, টার্গেট ও বর্তমান অবস্থা থাকবে।</p> <p>২) এসডিজি বিষয়ক একজন ডেপুটি ফোকাল পার্সন রাখা হবে।</p> <p>৩) নিয়মিতভাবে এ বিষয়ে সভা আহ্বান করতে হবে এবং অগ্রগতি পর্যালোচনা করতে হবে।</p>	পরিচালক (গবেষণা) মূল্যায়ন বিশেষজ্ঞ ও পরিসংখ্যানবিদ

	<ul style="list-style-type: none"> • 3.b.1: Coverage of vaccination • 3.b.3: Proportion of health facilities that have a core set of relevant essential medicines • 5.3.1: Proportion of women aged 20-24 years who were married or in a union before age 15 and before age 18 • 5.6.1: Proportion of women aged 15-49 years who make their own informed decisions. <p>এই ইন্ডিকেটর সমূহের Baseline ও হালনাগাদ তথ্য টার্গেটসহ ছকে লিপিবদ্ধ করা হয়েছে। SDG Tracker এর ছকে সাম্প্রতিক সময়ের হালনাগাদ তথ্যসহ SDG তথ্য মনিটরিং প্রতিবেদন তৈরির জন্য NDCC (National Data Co-ordination Committee), BBS এ প্রেরণ করা হয়েছে। প্রস্তুতকৃত ছক সভায় উপস্থাপন ও আলোচনা করা হয়।</p>	<p>৪) বিবিএস-এ মেটাডেটাসহ নির্ধারিত ফরমেটে তথ্য পাঠাতে হবে।</p>	
--	---	---	--

সভায় অন্য কোন আলোচ্য বিষয় না থাকায় সভাপতি সবাইকে ধন্যবাদ জানিয়ে সভার সমাপ্তি ঘোষণা করেন।

সংযুক্ত:

১। হালনাগাদ তথ্যসহ প্রস্তুতকৃত ছক।

স্বাক্ষর

(সুশান্ত কুমার সাহা)
মহাপরিচালক ও অতিরিক্ত সচিব
ফোনঃ ৯৬৬২৪৯৫

ই-মেইল: dg.niport1977@gmail.com

নং- ৫৯.১২.০০০০.০০৩.৯৯.০৭৮.২০-

তারিখ: ১০/১/২০২১ খ্রি:

অনুলিপি প্রেরণ করা হলো (জ্যেষ্ঠতার ক্রমানুসারে নয়) :

- ১) পরিচালক (প্রশিক্ষণ/প্রশাসন/ গবেষণা), নিপোর্ট, আজিমপুর, ঢাকা।
- ২) সচিব মহোদয়ের একান্ত সচিব, স্বাস্থ্য শিক্ষা ও পরিবার কল্যাণ বিভাগ, বাংলাদেশ সচিবালয়, ঢাকা (সচিব মহোদয়ের সদয় জ্ঞাতার্থে)
- ৩) মূল্যায়ণ বিশেষজ্ঞ, নিপোর্ট, আজিমপুর, ঢাকা।
- ৪) উপপরিচালক (প্রশাসন/প্রশিক্ষণ), নিপোর্ট, আজিমপুর, ঢাকা।
- ৫) অধ্যক্ষ, আঞ্চলিক জনসংখ্যা প্রশিক্ষণ ইনস্টিটিউট (সকল)
- ৬) প্রশিক্ষণ কর্মকর্তা, আঞ্চলিক প্রশিক্ষণ কেন্দ্র (সকল)
- ৭) সকল কর্মকর্তা, নিপোর্ট, আজিমপুর, ঢাকা।
- ৮) জনাব, নিপোর্ট, আজিমপুর, ঢাকা।
- ৯) মহাপরিচালক মহোদয়ের গোপনীয় সহকারী, নিপোর্ট, আজিমপুর, ঢাকা।

(মোহাম্মদ আহছানুল আলম)
মূল্যায়ণ বিশেষজ্ঞ, নিপোর্ট
ফোনঃ ৯৬৩০০০৫

SDGs Data Availability Status Report

Goal 2. End hunger, achieve food security and improved nutrition and promote sustainable agriculture

SDG Indicator	Tier Classification	Data Source		Reporting Frequency	Baseline Data			Current Status (Year & Source)	Minimum Disaggregation Dimensions and Categories	Deadline for Data providing	Remarks	Target
		Institution (Ministry/ Division/ Agency)	Activity (Survey/Census/ Administrative/ MIS/AI/Big Data/IoT)		Data	Year	Source					
2.2.1 Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) among children under 5 years of age	Tier I	BBS/ NIPORT	MICS/ BDHS	Triennial	36.1%	2014	BDHS	National: 28.0% Urban: 26.3% Rural: 28.4% (MICS 2019, BBS) 30.8% (BDHS, 2017-18)	<ul style="list-style-type: none"> age: under 5 years old wealth mothers' education residence 	August 2019	<ul style="list-style-type: none"> MICS 2019 preliminary data will be published by August, 2019. BDHS 2017-18 Key Indicator Report	M1-20:25% M2-25:16% T-30:12%
2.2.2 Prevalence of malnutrition (weight for height >+2 or <-2 standard deviation from the median of the WHO Child Growth Standards) among children under 5 years of age, by type (wasting and overweight)	Tier I	BBS/ NIPORT	MICS/ BDHS	Triennial	a) Wasting: 14.3% b) Overweight: 1.6%	a) 2014 b) 2012-13	a) BDHS b) MICS	Wasted: 9.8% Overweight: 2.4% (MICS 2019, BBS) Wasting: 8.4% (BDHS, 2017-18) Overweight: 1.4% (2017) (The State of Food Security and Nutrition 2018, FAO)	<ul style="list-style-type: none"> Malnutrition: wasted/overweight age: under 5 years old wealth mothers' education residence 	August 2019	<ul style="list-style-type: none"> MICS 2019 preliminary data will be published by August, 2019. BDHS 2017-18 Key Indicator Report	a): M1-20:12% M2-25:10% T-30:<5% b): M1-20:1.5% M2-25:1.0% T-30: 1.0%

M=> Mile Stone, T=> Target



Goal 3. Ensure healthy lives and promote well-being for all at all ages

SDG Indicator	Tier Classification	Data Source		Reporting Frequency	Baseline Data			Current Status (Year & Source)	Minimum Disaggregation Dimensions and Categories	Deadline for Data providing	Remarks	Target
		Institution (Ministry/Division/Agency)	Activity (Survey/Census/Administrative/MIS/AI/Big Data/IoT)		Data	Year	Source					
1	2	3	4	5	6	7	8	9	10	11	12	
3.1.1: Maternal Mortality Ratio	Tier I	BBS/ NIPORT	SVRS/ BMMS	Annual	181 (SVRS) 196 (BMMS)	2015 2016	SVRS BMM S	National: 169 [Rural: 193, Urban: 132] [Barishal: 255, Chattogram: 137, Dhaka: 113, Khulna: 143, Rajshahi: 135, Rangpur: 232, Sylhet: 215, Mymensingh: 159 (SVRS, 2018) 172 (SVRS, 2017) 196 (BMMS, 2016)	• Geographical location: global, country, regional	July 2019		M1-20:105 M2-25: 85 T-30: 70
3.1.2: Proportion of births attended by skilled health personnel	Tier I	BBS/ NIPORT	MICS/ BDHS	Annual	42.1%	2014	BDHS	59.0% [Urban: 73.7%, Rural: 54.8%] (MICS 2019, BBS) 52.7% (BDHS 2017-18)	• geographical location: urban, rural	August 2019	BDHS 2017-18 Key Indicator Report	M1-20: 65% M2-25: 72% T-30: 80%
3.2.1: Under-five mortality rate	Tier I	BBS/ NIPORT	CMNS/ MICS/ BDHS	Annual/ 3 years interval	36 (SVRS) 46 (BDHS)	2015 2014	SVRS BDHS	National: 40 [Rural: 41, Urban: 35] (MICS 2019, BBS) 29 (SVRS, 2018)	• Geographical location: regional level or minimum provincial level	July 2019	BDHS 2017-18 Key Indicator Report	M1-20:34/TLB M2-25:30/TLB T-30:25/ TL

SDG Indicator	Tier Classification	Data Source		Reporting Frequency	Baseline Data			Current Status (Year & Source)	Minimum Disaggregation Dimensions and Categories	Deadline for Data providing	Remarks	Target
		Institution (Ministry/Division/Agency)	Activity (Survey/Census/Administrative/MIS/AI/Big Data/IoT)		Data	Year	Source					
1	2	3	4	5	6	7	8	9	10	11	12	
3.2.2: Neonatal mortality rate	Tier I	BBS/ NIPORT	SVRS/ BDHS	Annual/ 3 years interval	20 (SVRS) 28 (BDHS)	2015 2014	SVRS BDHS	National: 26 [Rural: 27, Urban: 24] (MICS 2019, BBS) 16 (SVRS, 2018) 17 (SVRS, 2017) 30 (BDHS 2017-18)	<ul style="list-style-type: none"> Sex: male/female Age: neonatal, infant, child Income: wealth quintile Mothers' education geographical location: regional level or minimum provincial level sex: male/female age: neonatal, infant, child income: wealth quintile mothers' education neonatal mortality cause: preterm birth complication, 	July 2019	BDHS 2017-18 Key Indicator Report BDHS 2017-18 Key Indicator Report	M1- 20:19/TLB M2- 25:16/TLB T-30:12/TLI



SDG Indicator	Tier Classification	Data Source		Reporting Frequency	Baseline Data			Current Status (Year & Source)	Minimum Disaggregation Dimensions and Categories	Deadline for Data providing	Remarks	Target
		Institution (Ministry/ Division/ Agency)	Activity (Survey/Census/ Administrative/ MIS/AI/Big Data/IoT)		Data	Year	Source					
1	2	3	4	5	6	7	8	9	10	11	12	
									pneumonia, diarrhoea			
3.7.1 Proportion of women of reproductive age (aged 15–49 years) who have their need for family planning satisfied with modern methods	Tier I	BBS/ NIPORT	MICS/ BDHS	Annual/ 3 years interval	72.6%	2014	BDHS	77.4% [Urban: 78.5%, Rural: 77.0%] (MICS 2019, BBS) 61.4% (SVRS, 2018) 59.2% (SVRS, 2017) 70.3 % (BDHS, 2017-18)	<ul style="list-style-type: none"> age: 15 to 49 years old geographical location marital status socioeconomic status other categories 	July 2019	BDHS 2017-18 Key Indicator Report	M1-20:75% M2-25:80% T-30:100%
3.7.2 Adolescent birth rate (aged 10–14 years; aged 15–19 years) per 1,000 women in that age group	Tier I	BBS/ NIPORT	SVRS/ BDHS	Annual/ 3 years interval	75 (SVRS) Aged 15-19: 113 (BDHS)	2015 2014	SVRS BDHS	83 [Urban:60, Rural: 91] (MICS 2019, BBS) 10-14 yrs: 1 15-19 yrs: 342 (SVRS, 2017) 15-19 yrs: 108 (BDHS 2017-18)	<ul style="list-style-type: none"> age: 10-14 years, 15-19 years education number of living children marital status socioeconomic status geographical location 	July 2019	BDHS 2017-18 Key Indicator Report	M1-20:70/TW M2-25:60/TW T-30:50/ TV

SDG Indicator	Tier Classification	Data Source		Reporting Frequency	Baseline Data			Current Status (Year & Source)	Minimum Disaggregation Dimensions and Categories	Deadline for Data providing	Remarks	Target
		Institution (Ministry/Division/Agency)	Activity (Survey/Census/Administrative/MIS/AI/Big Data/IoT)		Data	Year	Source					
1	2	3	4	5	6	7	8	9	10	11	12	
3.8.1: Coverage of essential health services (defined as the average of coverage of essential services based on tracer interventions that include reproductive, maternal, newborn and child health, infectious diseases, non-communicable diseases and service capacity and access, among the general and the most disadvantaged population)	Tier I	a) DGHS, MoHFW b) NIPORT (BHFS), MoHFW c) HEU, MoHFW d) WHO e) MICS, BBS f) SVRS, BBS g) STEP Survey, NIPSOM	Survey and Administrative Data	Annual	52	2016	WHO	50 (Health SDG Profile: Bangladesh, WHO, 2018)	<ul style="list-style-type: none"> other categories type of essential health service income 	August, 2019	BHFS, NIPORT can only provide, service availability and readiness of Family Planning, Antenatal Care (ANC), Maternal Health, Child Health, Tuberculosis, Report may available by March 2020.	M1-20:65% M2-25:80% T-30:100%
3.b.1: Proportion of the target population covered by all vaccines included in their national programme	Tier I	a) DGHS (EPI Coverage Evaluation Survey), MoHFW	Survey	Triennial	78%	2014	BDHS	85.6% (BDHS 2017-18) 82.3% (≤12 months old children)	<ul style="list-style-type: none"> geographical location: regional, national, potentially sub-national 	January 2019	BDHS 2017-18 Key Indicator Report	M1-20:95% M2-25:98% T-30:100%



SDG Indicator	Tier Classification	Data Source		Reporting Frequency	Baseline Data			Current Status (Year & Source)	Minimum Disaggregation Dimensions and Categories	Deadline for Data providing	Remarks	Target
		Institution (Ministry/ Division/ Agency)	Activity (Survey/Census/ Administrative/ MIS/AI/Big Data/IoT)		Data	Year	Source					
1	2	3	4	5	6	7	8	9	10	11	12	
3.b.3: Proportion of health facilities that have a core set of relevant essential medicines available and affordable on a sustainable basis	Tier II	b) NIPORT (BDHS), MoHFW	Survey	Triennial	77%	2014	BHFS 2014	86.8% (≤ 23 months old children) (EPI-CES, 2016)				M-20: -- M-25: -- T-30: --



Goal 5. Achieve gender equality and empower all women and girls

SDG Indicator	Tier Classification	Data Source		Reporting Frequency	Baseline Data			Current Status (Year & Source)	Minimum Disaggregation Dimensions and Categories	Deadline for Data providing	Remarks	Target
		Institution (Ministry/ Division/ Agency)	Activity (Survey/Census/ Administrative/ MIS/AI/Big Data/IoT)		Data	Year	Source					
1	2	3	4	5	6	7	8	9	10	11	12	
5.3.1 Proportion of women aged 20-24 years who were married or in a union before age 15 and before age 18	Tier II	BBS/ NIPORT	GBVS/MICS/ BDHS	Triennial	Before 15: 23.8% Before 18: 58.6%	2014	(MICS 2012-13, BBS)	Before 15 yrs: 15.5% Before 18 yrs: 51.4% (MICS 2019, BBS) Before 15: 6.3% Before 18: 41.1% (SVRS 2018, BBS) Before 15: 19.3%, Before 18: 58.9% (BDHS, 2017)	<ul style="list-style-type: none"> Age: 20-24 Income Place of residence Geographic location Education Ethnicity 	July, 2019	BDHS 2017-18 KI Report	Before 15: M1-20:15% M2-25: 0% T-30: 0% Before 18: M1-20:30% M2-25: 20% T-30: 10%
5.6.1: Proportion of women aged 15-49 years who make their own informed decisions regarding sexual relations, contraceptive use and reproductive health care	Tier II	NIPORT	BDHS	Triennial	a) SR: 14% (b) CU: 67% (c) ANC: 65%	2014	BDHS	63.8% (BDHS, 2017-18)	<ul style="list-style-type: none"> age: 15-49 geographic location place of residence education wealth: wealth quintile 	September 2019	This information may be obtained from the BDHS 2017-18 Final Report, which will be available by June 2020	SR: M1-20: 20% M2-25: 25% T-30: 30% CU: M1-20: 70% M2-25: 75% T-30: 80% RH: M1-20: 70% M2-25: 80% T-30: 90%